



Malt quality data sheet

| MALT CHÂTEAU PILSEN 2RS (MALT PILSEN 2RS) | |
|--|------------|
| Product code: MP2S2V Batch code: M170800369 Delivery code: 87823 | |
| Crop year | 2016 |
| Moisture | 4,2 % |
| Extract fine grind on dry malt | 81,3 % |
| Saccharification | Normal min |
| Filtration | Normal |
| pH | 5,98 |
| Wort color in EBC | 3,5 EBC |
| Postcoloration | 5,5 EBC |
| Total nitrogen on dry malt | 10,36 % |
| Soluble protein | 4,35 % |
| Kolbach index | 41,98 |
| Viscosity | 1,55 cp |
| Mash odour | Normal |
| Turbidity | Clear EBC |
| Whole grains | 1 % |
| Beta-glucans | 242 mg/L |
| Friability | 85 % |
| <p>From the reception of raw materials, through the malting process and up to the delivery, Castle Malting guarantees:</p> <ul style="list-style-type: none"> • 100% traceability of malt – from the barley field up to the malt delivered to the customer's brewery, applying and complying with The European Decree UE 178-2002 of the European Council regarding traceability; • Complete absence of any genetically modified organisms in all our malts, as defined by European Directive 2001/18/EC, which means that all our malts are GMO FREE guaranteed; • Strict conformity to EU and International regulations regarding the maximum allowable residues of pesticides, herbicides, fungicides, insecticides, as well as traces of mycotoxins and nitrosamines in raw materials used in production; • Strict conformity with the internationally accepted HACCP requirements (Hazard Analysis of Critical Control Points) currently in force and the ISO 22000 Food Safety Management System; • The codes of good practices regarding transportation and storage. | |

Headquarters: Chemin du Couloury 1, 4800 Lambermont, Belgium
Malting Plant: Rue de Mons 94, 7970 Beloeil, Belgium

Tel.: + 32 (0) 87 662095; Fax: +32 (0) 87 352234; info@castlemalting.com; www.castlemalting.com
Registered Tournai 79754; VAT: BE.455013439; IBAN: BE11 3700 9054 5648; BIC: BBRUBEBB