## MALT-INFORMATION BEST PILSEN MALT



THE MALT	BEST Pilsen Malt is rich in	enzymes and has a high	Extract value. User		
USE	-	together with other malts, it is the perfect base malt for all kinds of exceptional and			
	flavorsome beers. Even with a high concentration of specialty malts in the grain bill, this malt ensures optimal processing during production and, as a result, is a base				
		ingredient for the best first-class beers of all styles. BEST Pilsen Malt complies with the			
	purity guidelines of the German Reinheitsgebot.				
	Base malt for all beers, Premium Pilsner and Pilsner beers, Export, Kölsch, Lager,				
0.5L	Helles, light beers, and as			Jisch, Lager,	
RATE	100 % of the grainbill		di beel styles.		
PACKAGING	In bulk, sacks size 25 kg/55 lbs	lbs and 50 kg/110 lbs, supe	er sacks size 500-1,00	00 kg/1,100-2,200	
SHELF LIFE	At least 24 months under d	ry conditions (max. 20 °C/6	58 °F, max. 35 % RH).		
SERVICE	Should you need personal assistance, one of our experts will be happy to advise you. Please do not hesitate to contact us with any questions. Or find more information on our website at <b>www.bestmalz.com</b> .				
REMARKS	All of our malts are produce heitsgebot of 1516. We use compliance with all valid fo compliance with strict statu mycotoxins and nitrosamin regular basis.	e no genetically modified ra od regulations and legal pro utory limits relating to pesti	w materials. Our ma ovisions. Of course, a icides, herbicides, fur	Its are produced in absolute ngicides,	
	All processes are conducted				
	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find	. Certification of the system ire natural products. This m ation and are based on a m	ns is performed regul neans that the specifi ninimum level of qual	larly by the LGA ications given here lity for the	
	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please finc	. Certification of the system are natural products. This m ation and are based on a m d more information on our y	ns is performed regul neans that the specifi ninimum level of qua website at <u>www.best</u>	larly by the LGA ications given here lity for the	
	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find	. Certification of the system ire natural products. This m ation and are based on a m	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant)	larly by the LGA ications given here lity for the <b>malz.com</b> .	
M	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please finc	. Certification of the system are natural products. This m ation and are based on a m more information on our v <b>IFICATIONS</b> (the values are har	ns is performed regul neans that the specifi ninimum level of qua website at <u>www.best</u>	larly by the LGA ications given here lity for the	
	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content	. Certification of the system are natural products. This m ation and are based on a m more information on our IFICATIONS (the values are har Unit	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant)	larly by the LGA ications given here lity for the <u>malz.com</u> . Maximum	
Extract	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please finc STANDARD MALT SPEC Specification	. Certification of the system are natural products. This me ation and are based on a me more information on our v IFICATIONS (the values are har Unit %	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) Minimum	larly by the LGA ications given here lity for the <u>malz.com</u> . Maximum	
Extract Fine-co	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please finc STANDARD MALT SPEC Specification loisture content t fine grind, dry basis	Certification of the system ation and are based on a m more information on our <b>IFICATIONS</b> (the values are har <b>Unit</b> %	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) Minimum	larly by the LGA ications given here lity for the malz.com. Maximum 4.9	
Extract Fine-co	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please finc STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability	Certification of the system ation and are based on a m more information on our v <b>IFICATIONS</b> (the values are har <b>Unit</b> % % % % MPa·s %	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) Minimum	larly by the LGA ications given here lity for the malz.com. Maximum 4.9 2.0 1.60	
Extract Fine-co	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%)	Certification of the system ation and are based on a m more information on our <b>IFICATIONS</b> (the values are har <b>Unit</b> % % % % % MPa·s	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5	larly by the LGA ications given here lity for the malz.com. Maximum 4.9 2.0	
Extract Fine-co V	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis	Certification of the system ation and are based on a m more information on our v IFICATIONS (the values are har 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0	larly by the LGA ications given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5 11.5	
Extract Fine-co V Pr	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please finc STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen	Certification of the system ation and are based on a m more information on our v iFICATIONS (the values are har 0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 %	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0 610	larly by the LGA ications given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5 11.5 780	
Extract Fine-co V Pr	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen Kolbach index	. Certification of the system are natural products. This mention and are based on a mention on our values are hare information on our values are hare information on our values are hare information on our values are hare information on our values are hare information on our values are hare information on our values are hare informatin on our values are hare information on our values are hare informa	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0 610 36.0	larly by the LGA ications given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5 11.5 780 45.0	
Extract Fine-co V Pr	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen Kolbach index Wort color	Certification of the system ation and are based on a m d more information on our v IFICATIONS (the values are har % % % % % % % % % % % % % % % % % % %	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0 610 36.0 <b>3.0</b>	larly by the LGA ications given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.0 1.60 2.5 11.5 780 45.0 4.9	
Extract Fine-co V Pr	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen Kolbach index Wort color Wort color	. Certification of the system are natural products. This mention and are based on a mention on our values are hare information on our values are hare information on our values are hare information on our values are hare information on our values are hare information on our values are hare information on our values are hare informatin on our values are hare information on our values are hare informa	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) Minimum 80.5 81.0 9.0 610 36.0 3.0 1.6	Iarly by the LGA         ications given here         lity for the         main         Maximum         4.9         2.0         1.60         2.5         11.5         780         45.0         4.9         2.3	
Extract Fine-co V Pr Si	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen Kolbach index Wort color Wort color Wort pH	Certification of the system ation and are based on a metation and are based on a metation on our values are har IFICATIONS (the values are har 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0 610 36.0 3.0 1.6 5.7	larly by the LGA ications given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.0 1.60 2.5 11.5 780 45.0 4.9	
Extract Fine-co V Pr Sr	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen Kolbach index Wort color Wort color Wort pH rading > 2,5mm	Certification of the system ation and are based on a metation and are based on a metation on our values are hare dimore information on our values are hare diffications (the values are hare % % % % % % % % % % % % % % % % % % %	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0 610 36.0 3.0 1.6 5.7 90.0	Iarly by the LGA         ications given here         lity for the         main         Maximum         4.9         2.0         1.60         2.5         11.5         780         45.0         4.9         2.3	
Extract Fine-co V Pr Sr GI	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen Kolbach index Wort color Wort color Wort pH rading > 2,5mm Diastatic power	Certification of the system ation and are based on a metation and are based on a metation on our values are har IFICATIONS (the values are har 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0 610 36.0 3.0 1.6 5.7	Iarly by the LGA         ications given here         lity for the         main         Maximum         4.9         2.0         1.60         2.5         11.5         780         45.0         4.9         2.3         6.1	
Extract Fine-cc V Pr Sr GI	comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification loisture content t fine grind, dry basis oarse difference EBC /iscosity (8,6%) Friability Glassiness rotein, dry basis oluble nitrogen Kolbach index Wort color Wort color Wort pH rading > 2,5mm	Certification of the system ation and are based on a metation and are based on a metation on our values are hare dimore information on our values are hare diffications (the values are hare % % % % % % % % % % % % % % % % % % %	ns is performed regul neans that the specifi ninimum level of qual website at <u>www.best</u> vest dependant) <u>Minimum</u> 80.5 81.0 9.0 610 36.0 3.0 1.6 5.7 90.0	Iarly by the LGA         ications given here         lity for the         malz.com.         Maximum         4.9         2.0         1.60         2.5         11.5         780         45.0         4.9         2.3	

T +49 (0)62 21 - 64 66-0 • F +49 (0)62 21 - 64 66-99 • INFO@BESTMALZ.DE • WWW.BESTMALZ.COM