MALT-INFORMATION **BEST PALE ALE**



THE MALT	BEST Pale Ale is an ideal b	basis for many different	styles of English Ale	and numerous
	other beers that require a fuller, golden color and a tangy but also more full-bodied			
	taste. BEST Pale Ale complies with the purity guidelines of the German			
	Reinheitsgebot.			
USE	For Pale Ale, Kölsch, Pilsn	er and all other beer sty	/les.	
RATE	100 % of the grainbill			
PACKAGING	In bulk, sacks size 25 kg/55 Ibs	lbs and 50 kg/110 lbs, sup	er sacks size 500-1,00	00 kg/1,100-2,200
SHELF LIFE	At least 24 months under dry conditions (max. 20 °C/68 °F, max. 35 % RH).			
SERVICE	Should you need personal assistance, one of our experts will be happy to advise you. Please do not hesitate to contact us with any questions. Or find more information on our website at www.bestmalz.com .			
REMARKS	All of our malts are produce heitsgebot of 1516. We use compliance with all valid for compliance with strict statu mycotoxins and nitrosamine regular basis.	no genetically modified r od regulations and legal p Itory limits relating to pest es is guaranteed. This is c	aw materials. Our mal rovisions. Of course, a ticides, herbicides, fur hecked by independer	lts are produced in absolute agicides,
	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari	ce with the European star . Certification of the system re natural products. This r ation and are based on a r	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual	1:2015. This also arly by the LGA cations given here lity for the
	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find	ce with the European star . Certification of the syster re natural products. This r ation and are based on a r I more information on our	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual website at <u>www.best</u>	1:2015. This also arly by the LGA cations given here lity for the
	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find	ce with the European star . Certification of the system re natural products. This r ation and are based on a r	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual website at <u>www.best</u> rvest dependant)	1:2015. This also arly by the LGA cations given here lity for the
	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find	ce with the European star Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual website at <u>www.best</u>	1:2015. This also arly by the LGA cations given here lity for the malz.com .
	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification	ce with the European star . Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual website at <u>www.best</u> rvest dependant)	1:2015. This also arly by the LGA cations given here lity for the <u>malz.com</u> . <u>Maximum</u>
Extrac	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content	ce with the European star . Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit %	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual website at <u>www.best</u> rvest dependant) Minimum	1:2015. This also arly by the LGA cations given here lity for the <u>malz.com</u> . <u>Maximum</u>
Extrac Fine-c	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content ct fine grind, dry basis	ice with the European star Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit %	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual website at <u>www.best</u> rvest dependant) Minimum	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9
Extrac Fine-c	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content t fine grind, dry basis coarse difference EBC	ce with the European star . Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit % % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specifi minimum level of qual website at <u>www.best</u> rvest dependant) Minimum	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0
Extrac Fine-c	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content to fine grind, dry basis coarse difference EBC Viscosity (8,6%)	ice with the European star . Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit % % % % mPa·s	ndard DIN-EN-ISO 900 ms is performed regul means that the specific minimum level of qual website at <u>www.best</u> rvest dependant) <u>Minimum</u> 80.5	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0
Extrac Fine-c	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content ct fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability	ice with the European star Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit % % % % % % % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specific minimum level of qual website at <u>www.best</u> rvest dependant) <u>Minimum</u> 80.5	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0 1.60
Extrac Fine-c N	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content et fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability Glassiness	ice with the European star Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit % % % % mPa·s % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specific ninimum level of qual website at <u>www.best</u> rvest dependant) <u>Minimum</u> 80.5 81.0	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5
Extrac Fine-c N	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content ct fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability Glassiness Protein, dry basis	ice with the European star Certification of the system re natural products. This ration and are based on a r more information on our IFICATIONS (the values are ha Unit % % % % % % % % % % % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specific ninimum level of qual website at <u>www.best</u> rvest dependant) <u>Minimum</u> 80.5 81.0 9.0	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5 11.5
Extrac Fine-c N	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content ct fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability Glassiness Protein, dry basis Soluble nitrogen	ice with the European star Certification of the system re natural products. This r ation and are based on a r I more information on our IFICATIONS (the values are ha Unit % % % % % % % % % % % % % % % % % % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specific ninimum level of qual website at <u>www.best</u> rvest dependant) <u>Minimum</u> 80.5 81.0 9.0 610	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5 11.5 780
Extrac Fine-c N	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content to fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability Glassiness Protein, dry basis Soluble nitrogen Kolbach index	ice with the European star Certification of the system re natural products. This r ation and are based on a r more information on our IFICATIONS (the values are ha Unit % % % % % % % % % % % % % % % % % % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specific ninimum level of qual website at <u>www.best</u> rvest dependant) <u>Minimum</u> 80.5 81.0 9.0 610 36.0	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5 11.5 780 45.0
Extrac Fine-c N	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content to fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability Glassiness Protein, dry basis Soluble nitrogen Kolbach index Wort color	ice with the European star Certification of the system re natural products. This ration and are based on a r more information on our IFICATIONS (the values are ha Unit % % % % % % % % % % % % % % % % % % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specific minimum level of qual website at <u>www.best</u> rvest dependant) Minimum 80.5 81.0 9.0 610 36.0 5.0	1:2015. This also arly by the LGA cations given here lity for the malz.com. Maximum 4.9 2.0 1.60 2.5 11.5 780 45.0 7.0
Extrac Fine-c N P S	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content et fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability Glassiness Protein, dry basis Soluble nitrogen Kolbach index Wort color	ice with the European star Certification of the system re natural products. This ration and are based on a r more information on our IFICATIONS (the values are ha Unit % % % % % % % % % % % % % % % % % % %	ndard DIN-EN-ISO 900 ms is performed regul neans that the specific ninimum level of qual website at <u>www.best</u> rvest dependant) Minimum 80.5 81.0 9.0 610 36.0 5.0 2.3	1:2015. This also arly by the LGA cations given here lity for the malz.com.
Extrac Fine-c	gement system in accordan comprises a HACCP system. InterCert. Malting barley and wheat a are subject to seasonal vari harvested grain. Please find STANDARD MALT SPEC Specification Moisture content to fine grind, dry basis coarse difference EBC Viscosity (8,6%) Friability Glassiness Protein, dry basis Soluble nitrogen Kolbach index Wort color Wort color Wort pH	ice with the European star Certification of the system re natural products. This r ation and are based on a r more information on our IFICATIONS (the values are ha Unit % % % % % % % % % % % % % % % % % % %	ndard DIN-EN-ISO 900 ms is performed regul means that the specific ininimum level of qual website at <u>www.best</u> rvest dependant) Minimum 80.5 81.0 9.0 610 36.0 5.0 2.3 5.7	1:2015. This also arly by the LGA cations given here lity for the malz.com.



PARVE





PALATIA MALZ GMBH • P.O. BOX 10 43 20 • D-69033 HEIDELBERG • GERMANY T +49 (0)62 21 - 64 66-0 • F +49 (0)62 21 - 64 66-99 • INFO@BESTMALZ.DE • WWW.BESTMALZ.COM